Handcrafted Durability. Timeless Elegance.





# Why Choose a PCA Enclosure?



#### **BEAUTY**

No other enclosure system compares to the combination of elegance, quality, structural integrity and craftsmanship found in a PCA enclosure. Our high quality systems add both increased value and curb appeal to every home.



#### **ELIMINATE INSECTS**

Our enclosures are designed to keep insects out and your entry clean!



#### FRESH AIR

Screen enclosures allow you to enjoy cool natural air flow throughout your home while maintaining safety and comfort.



#### **SAFETY**

A PCA enclosure can provide a safe way to meet strangers while at the same time an elegant way to greet your family and friends.

# Handcrafted It's IMPOSSIBLE TO MASS PRODUCE PERFECTION



#### FOR BETTER QUALITY AND ATTENTION TO DETAIL

Your PCA door is custom handcrafted by our skilled craftsman. Every door and enclosure accessory is produced to your exact specifications at the time of your order.

PCA doors are individually powder-coated by hand. This painstaking process ensures a higher quality coating and finish around every edge.








Our optional hand painted figurines are all created the old fashioned way by our skilled artisans, for a truly unique and quality finished product.



# The PCA Advantage



PCA exclusive Thru-Lock System.

Clean appearance and exceptionally strong.

Flat locking spline means your screen will never blow-out!

Aluminum corner key prevents door sag.



Ceramafast fully coated fasteners, for superior protection from salt air.



Cast aluminum scrolls.
NO Plastic!



Impervious to outside elements.

Maintenance free kick plate system. No unsightly spline!



# Now Let's "Create an Entrance" for your home!

To assist you in your decision we invite you to...

#### A. - Gallery Approach

Select an enclosure from one of our more popular designs as presented in the Gallery Section

Select your enclosure, then select your options...

- Color
- Screen type
- Specialty hardware items

#### **B. – Custom Approach**

Mix and match individual PCA components to build your custom enclosure from the following:


- Screen Door Designs
- Sunburst Designs
- Side Lite Designs
- Color
- Screen type
- Specialty hardware items





Enclosure ID	C2-DE	C3-DE	-
Aprx Size of Entry**	70 x 120	70 x 120	-
PCA Door Series	C-510	C-500	-
Door Configuration	Double	Double	-
Door Height	79-1/2"	96"	-
Door Kick Plate Height	8" - (Aprx 10" overall)	8" - (Aprx 10" overall)	-
Sunburst Series	SB-B7	SB-B7	-
Side-Lite Series	-	-	-
Specialty Items	Tasman Key Lock Handle	Astragal for double door	-
	Astragal for double door		

<sup>\*\*</sup> If your enclosure dimensions vary in width or height from the ones pictured, please refer to the Door, Sunburst, and Side-Lite sizing tables to ensure that your opening will accommodate product selection.





Enclosure ID	C5-SE	C1-SE	-
Aprx Size of Entry**	65 x 120	65 x 120	-
PCA Door Series	C-500	C-500	-
Door Configuration	Single	Single	-
Door Height	79-1/2"	79-1/2"	-
Door Kick Plate Height	8" - (Aprx 10" overall)	8" - (Aprx 10" overall)	-
Sunburst Series	SB-B3	SB-D3	-
Side-Lite Series	SL_70-15	SL_40-10	-
Specialty Items	Tasman Key Lock Handle	Tasman Key Lock Handle	-

<sup>\*\*</sup> If your enclosure dimensions vary in width or height from the ones pictured, please refer to the Door, Sunburst, and Side-Lite sizing tables to ensure that your opening will accommodate product selection.







Enclosure ID	I8-SE	I9-SE	-
Aprx Size of Entry**	65 x 120	65 x 120	-
PCA Door Series	I-750	I-750	-
Door Configuration	Single	Single	-
Door Height	79-1/2"	79-1/2"	-
Door Kick Plate Height	8" - (Aprx 10" overall)	8" - (Aprx 10" overall)	-
Sunburst Series	SB-D3	SB-B5	-
Side-Lite Series	SL_50-05	SL_50-05	-
Specialty Items	Tasman Key Lock Handle	Tasman Key Lock Handle	-

<sup>\*\*</sup> If your enclosure dimensions vary in width or height from the ones pictured, please refer to the Door, Sunburst, and Side-Lite sizing tables to ensure that your opening will accommodate product selection.





Enclosure ID	I5-DE	I6-DE	I7-DE
Aprx Size of Entry**	72 x 160	74 x 135	74 x 135
PCA Door Series	I-750	I-750	I-750
Door Configuration	Double	Double	Double
Door Height	79-1/2"	90"	90"
Door Kick Plate Height	8" - (Aprx 10" overall)	8" - (Aprx 10" overall)	8" - (Aprx 10" overall)
Sunburst Series	SB-C7	SB-C5	SB-B3
Side-Lite Series	-	-	-
Specialty Items	Tasman Key Lock Handle	Astragal for double doors	Tasman Key Lock Handle
	Astragal for double doors		Astragal for double doors

<sup>\*\*</sup> If your enclosure dimensions vary in width or height from the ones pictured, please refer to the Door, Sunburst, and Side-Lite sizing tables to ensure that your opening will accommodate product selection.





Enclosure ID	N2-SE	N10-DE	N11-DE
Aprx Size of Entry**	58 x 110	72 x 160	70 x 120
PCA Door Series	NL-1030	N-1030	N-1040
Door Configuration	Single	Double	Double
Door Height	79-1/2"	79-1/2"	79-1/2"
Door Kick Plate Height	8" - (Aprx 10" overall)	8" - (Aprx 10" overall)	8" - (Aprx 10" overall)
Sunburst Series	SB-B3	SB-B3	SB-B3
Side-Lite Series	SL_60-20	-	-
Specialty Items	-	Tasman Key Lock Handle	Tasman Key Lock Handle
	_	Astragal for double doors	Astragal for double doors

<sup>\*\*</sup> If your enclosure dimensions vary in width or height from the ones pictured, please refer to the Door, Sunburst, and Side-Lite sizing tables to ensure that your opening will accommodate product selection.





Enclosure ID	N12-DE	N13-DE	
Aprx Size of Entry**	70 x 120	65 x 130	-
PCA Door Series	N-1050	N-1050	-
Door Configuration	Double	Double	-
Door Height	79-1/2"	96"	-
Door Kick Plate Height	8" - (Aprx 10" overall)	8" - (Aprx 10" overall)	-
Sunburst Series	SB-B5	SB-B5	-
Side-Lite Series	-	-	-
Specialty Items	Tasman Key Lock Handle	Tasman Key Lock Handle	-
	Astragal for double doors	Astragal for double doors	


<sup>\*\*</sup> If your enclosure dimensions vary in width or height from the ones pictured, please refer to the Door, Sunburst, and Side-Lite sizing tables to ensure that your opening will accommodate product selection.





Enclosure ID	NS1-DE	NS2-DE	NS1-SE
Aprx Size of Entry**	65 x 120	72 x 120	65 x 135
PCA Door Series	N-2000 (Palm)	N-2000 (Palm)	NR-2000 (Palm)
Door Configuration	Double	Double	Single
Door Height	90"	79-1/2"	96"
Door Kick Plate Height	8" - (Aprx 10" overall)	8" - (Aprx 10" overall)	8" - (Aprx 10" overall)
Sunburst Series	SB-B3	SB-B3	-
Side-Lite Series	-	-	-
Specialty Items	Airbrushed figurine	Tasman Key Lock Handle	Tasman Key Lock Handle
	Astragal for double doors	Astragal for double doors	

<sup>\*\*</sup> If your enclosure dimensions vary in width or height from the ones pictured, please refer to the Door, Sunburst, and Side-Lite sizing tables to ensure that your opening will accommodate product selection.





Enclosure ID	NS3-DE	NS4-DE	NS5-DE
Aprx Size of Entry**	72 x 130	65 x 140	65 x 120
PCA Door Series	N-2010 (Heron)	N-2020 (Marlin)	N-2030 (Dolphin)
Door Configuration	Double	Double	Double
Door Height	79-1/2"	96"	79-1/2"
Door Kick Plate Height	8" - (Aprx 10" overall)	8" - (Aprx 10" overall)	8" - (Aprx 10" overall)
Sunburst Series	SB-B3	SB-B3	SB-B3
Side-Lite Series	-	-	-
Specialty Items	Astragal for double doors	Astragal for double doors	Astragal for double doors


<sup>\*\*</sup> If your enclosure dimensions vary in width or height from the ones pictured, please refer to the Door, Sunburst, and Side-Lite sizing tables to ensure that your opening will accommodate product selection.





Enclosure ID	NS6-DE	NS7-DE	NS8-DE
Aprx Size of Entry**	70 x 140	74 x 130	68 x 140
PCA Door Series	N-2040 (Golfer)	N-2060 (Pineapple)	N-2050 (Manatee)
Door Configuration	Double	Double	Double
Door Height	96"	79-1/2"	96"
Door Kick Plate Height	8" - (Aprx 10" overall)	8" - (Aprx 10" overall)	8" - (Aprx 10" overall)
Sunburst Series	SB-B3	SB-B5	SB-B5
Side-Lite Series	-	-	-
Specialty Items	Astragal for double doors	Tasman Key Lock Handle	Astragal for double doors
		Astragal for double doors	

<sup>\*\*</sup> If your enclosure dimensions vary in width or height from the ones pictured, please refer to the Door, Sunburst, and Side-Lite sizing tables to ensure that your opening will accommodate product selection.





Enclosure ID	O10-DE	O11-DE	O7-SE
Aprx Size of Entry**	65 x 120	72 x 120	65 x 120
PCA Door Series	O-250	O-270	O-260
Door Configuration	Double	Double	Single
Door Height	79-1/2"	79-1/2"	79-1/2"
Door Kick Plate Height	NO KP	8" - (Aprx 10" overall)	8" - (Aprx 10" overall)
Sunburst Series	SB-B3	SB-B3	SB-B7
Side-Lite Series	-	-	SL_70-05
Specialty Items	Tasman Key Lock Handle	Astragal for double doors	Tasman Key Lock Handle
	Astragal for double doors		

<sup>\*\*</sup> If your enclosure dimensions vary in width or height from the ones pictured, please refer to the Door, Sunburst, and Side-Lite sizing tables to ensure that your opening will accommodate product selection.





Enclosure ID	O8-SE	O12-DE	O13-DE
Aprx Size of Entry**	65 x 130	72 x 130	74 x 150
PCA Door Series	O-250	O-280	O-250
Door Configuration	Single	Double	Double
Door Height	79-1/2"	79-1/2"	79-1/2"
Door Kick Plate Height	8" - (Aprx 10" overall)	8" - (Aprx 10" overall)	8" - (Aprx 10" overall)
Sunburst Series	SB-B3	SB-B3	SB-C5
Side-Lite Series	SL_70-15	-	-
Specialty Items	-	Astragal for double doors	Tasman Key Lock Handle
			Astragal for double doors

<sup>\*\*</sup> If your enclosure dimensions vary in width or height from the ones pictured, please refer to the Door, Sunburst, and Side-Lite sizing tables to ensure that your opening will accommodate product selection.





Enclosure ID	P14-SE	P15-SE	P20-DE
Aprx Size of Entry**	72 x 120	65 x 120	74 x 150
PCA Door Series	P-100	P-100	P-100
Door Configuration	Single	Single	Double
Door Height	79-1/2"	79-1/2"	79-1/2"
Door Kick Plate Height	8" - (Aprx 10" overall)	8" - (Aprx 10" overall)	8" - (Aprx 10" overall)
Sunburst Series	SB-B3	SB-B5	SB-B3
Side-Lite Series	-	SL 60-20	-
Specialty Items	-	Tasman Key Lock Handle	Astragal for double doors

<sup>\*\*</sup> If your enclosure dimensions vary in width or height from the ones pictured, please refer to the Door, Sunburst, and Side-Lite sizing tables to ensure that your opening will accommodate product selection.





Enclosure ID	P16-SE	P17-SE	P21-DE
Aprx Size of Entry**	58 x 160	65 x 130	75 x 150
PCA Door Series	P-110	P-120	P-120
Door Configuration	Single	Single	Double
Door Height	79-1/2"	79-1/2"	90"
Door Kick Plate Height	8" - (Aprx 10" overall)	8" - (Aprx 10" overall)	8" - (Aprx 10" overall)
Sunburst Series	SB-B5	SB-B3	SB-B3
Side-Lite Series	-	SL 10-05	-
Specialty Items	Tasman Key Lock Handle	-	Tasman Key Lock Handle
			Astragal for double doors

<sup>\*\*</sup> If your enclosure dimensions vary in width or height from the ones pictured, please refer to the Door, Sunburst, and Side-Lite sizing tables to ensure that your opening will accommodate product selection.





Enclosure ID	P22-DE	P18-SE	P29-SE
Aprx Size of Entry**	72 x 120	72 x 120	65 x 120
PCA Door Series	P-130	P-140	P-150
Door Configuration	Double	Single	Single
Door Height	79-1/2"	79-1/2"	79-1/2"
Door Kick Plate Height	8" - (Aprx 10" overall)	8" - (Aprx 10" overall)	8" - (Aprx 10" overall)
Sunburst Series	SB-B3	SB-B3	SB-B3
Side-Lite Series		SL_10-05	-
Specialty Items	Astragal for double doors	-	-

<sup>\*\*</sup> If your enclosure dimensions vary in width or height from the ones pictured, please refer to the Door, Sunburst, and Side-Lite sizing tables to ensure that your opening will accommodate product selection.





Enclosure ID	Q11-DE	Q12-DE	Q13-DE
Aprx Size of Entry**	72 x 150	65 x 120	68 x 125
PCA Door Series	Q-1500	Q-1510	Q-1515
Door Configuration	Double	Double	Double
Door Height	96"	79-1/2"	90"
Door Kick Plate Height	8" - (Aprx 10" overall)	8" - (Aprx 10" overall)	8" - (Aprx 10" overall)
Sunburst Series	SB-B3	SB-B3	-
Side-Lite Series	-	-	-
Specialty Items	Astragal for double doors	Astragal for double doors	Astragal for double doors

<sup>\*\*</sup> If your enclosure dimensions vary in width or height from the ones pictured, please refer to the Door, Sunburst, and Side-Lite sizing tables to ensure that your opening will accommodate product selection.





### **PCA Screen Enclosure Specifications**

Enclosure ID	Q9-SE	Q14-DE	Q10-SE
Aprx Size of Entry**	65 x 120	72 x 130	65 x 120
PCA Door Series	Q-1520	Q-1530	Q-1540
Door Configuration	Single	Double	Single
Door Height	79-1/2"	79-1/2"	79-1/2"
Door Kick Plate Height	8" - (Aprx 10" overall)	8" - (Aprx 10" overall)	8" - (Aprx 10" overall)
Sunburst Series	SB-B3	SB-C3	SB-B5
Side-Lite Series	SL_80-20	-	-
Specialty Items	Tasman Key Lock Handle	Astragal for double doors	-

<sup>\*\*</sup> If your enclosure dimensions vary in width or height from the ones pictured, please refer to the Door, Sunburst, and Side-Lite sizing tables to ensure that your opening will accommodate product selection.





### **PCA Screen Enclosure Specifications**

Enclosure ID	Q11-SE	Q15-DE	Q16-DE
Aprx Size of Entry**	72 x 130	65 x 120	72 x 120
PCA Door Series	Q-1550	Q-1550	Q-1550
Door Configuration	Single	Double	Double
Door Height	79-1/2"	79-1/2"	79-1/2"
Door Kick Plate Height	8" - (Aprx 10" overall)	8" - (Aprx 10" overall)	8" - (Aprx 10" overall)
Sunburst Series	SB-B3	SB-B3	-
Side-Lite Series	-	-	-
Specialty Items	-	Astragal for double doors	Astragal for double doors


<sup>\*\*</sup> If your enclosure dimensions vary in width or height from the ones pictured, please refer to the Door, Sunburst, and Side-Lite sizing tables to ensure that your opening will accommodate product selection.

## Screen Door Designs













## Screen Door Designs






# Screen Door Designs






## Sunburst Designs



\*Sunburst design may vary depending on the size and shape of your transom area

	Ring Dimensions	Transom Size Range Su	unburst can Accomodate
	9	Width	Height
B-Series	22"	48" - 144"	24" - 96"
C-Series	2 1/2	36" - 144"	18" - 96"
D-Series	41 "	48" - NA	24" - NA
	Material: All PCA Sunbu	rst kits are constructed of 3/4" squ	are aluminum picket.

# Side Lite Designs






	PCA Side-Lite Sizing & Suggested Door Series Compatibility Chart																									
Side-Lite Series	**MINIMUM Width REQUIRED	A-100	A-300	A-500	B-300	B-500	C-500	C-510	I-750	N-1020	N-1030	N-1035	N-1040	N-1050	0-250	O-260	0-270	O-280	O-290	O-300	P-100	P-110	P-120	P-130	P-140	P-150
SL_10-05	4"	х	х	х	х	х	Х	х	X	X	X	X	X	X	X	X	X	X	х	х	х	х	X	х	х	х
SL_40-05	8"						х	х																		
SL_40-10	10"						X																			
SL_40-15	12"						X	X																		
SL_40-20	16"						x	X																		
SL_40-25	18"						X																			
SL_50-05	8"								X																	
SL_50-10	18"								X																	
SL_60-05	10"									X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
SL_60-10	12"									X	X	X	X	X	X	X	X	X	X	X	X	х	X	x	X	X
SL_60-15	16"									X	X	X	X	X	X	X	X	X	x	X	X	x	X	x	x	x
SL_60-20	8"									X	X	X	X	X	х	X	X	х	х	x	x	х	х	х	х	x
SL_60-25	12"									X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
SL_60-30	16"									X	X	X	X	X	х	X	X	х	X	X	X	X	X	х	X	X
SL_70-05	10"														X	X	X	X	x	X						
SL_70-10	10"														х	X	X	х	X	x						
SL_70-15	10"														X	X	X	X	X	x						
SL_70-20	18"														X	X	X	X	X	х						
SL_70-25	18"														X	X	x	X	X	х						
SL_70-30	18"														X	X	X	X	X	X						

<sup>\*\*</sup>This is the minimum width required to ensure proper fit of Side-Lite. Dimension is taken from inside of the door post to the inside of extrusion at wall.

# Side Lite Designs





PCA	PCA Side-Lite Sizing & Suggested Door Series Compatibility Chart															
Side-Lite Series	**MINIMUM Width REQUIRED	Q-1500	Q-1510	Q-1515	Q-1520	Q-1530	Q-1540	Q-1550	Q-1600	T-1250	T-1260	T-1270	T-1280	T-1290	T-1300	T-1310
SL_10-05	4"	х	х	X	х	х	х	х	х	х	X	х	X	х	х	X
SL_80-05	6"	Х	Х	Х												
SL_80-10	12"	х	х	х												
SL_80-15	12"	х	Х	Х												
SL_80-20	6"				х	х										
SL_80-25	12"				Х	х										
SL_80-30	12"				х	X										
SL_80-35	6"						х	х								
SL_80-40	12"						Х	X								
SL_80-45	12"						х	х								
SL_80-50	12"								X							
SL_90-05	8"									Х	Х	Х	Х	Х	Х	Х
SL_90-10	10"											X	X	X		X
SL_90-15	10"											х	X	X		х
SL_90-20	10"									X						X
SL_90-25	10"										X					X
SL_90-30	10"											Х	х	х		X
SL_90-35	12"									х	Х	Х	х	х	Х	х
SL_90-40	16"									X	Х	Х	Х	Х	Х	X
SL_90-45	18"											Х	х	х		х
SL_90-50	18"											х	х	х		X
SL_90-55	18"									Х						х
SL_90-60	18"										Х					Х
SL_90-65	18"											Х	Х	Х		Х

<sup>\*\*</sup>This is the minimum width required to ensure proper fit of Side-Lite. Dimension is taken from the inside of door post to the inside of extrusion at wall.

## Screen Door Options

#### **Kick Plate Options**



#### **Screen Options**



#### **Color Options**



\*All items available in White or Bronze standard. Premium colors available on select items.

## Specialty Hardware



The Tasman provides superior design by coupling a double key locking system along with a lever style handle that is fluid in operation. The Tasman can be locked from inside or out with a key. Features a Dual Select locking mechanism allowing the door to be locked from the inside via a Snib function, or if you prefer more security you can lock with the key which will override the Snib



PCA's exclusive Astragal
System for double door
installations allow you to
open both doors leaving no
obstructions in the opening.
Incorporated Flush Bolts at
top and bottom of Astragal
are easy to operate and
provide a quick and effective
way to open and close your
"fixed" screen door.




### **Tasman Ordering Information**

Upon ordering, it is important to specify the hinge placement viewing the door from the outside looking in. See examples below.

Standard placement of lock on most door designs is at 39-3/4" from the bottom of the door to the center of the handle.

**Exception:** Certain door designs dictate the position of the lock placement.

Tasman lock can be placed at a special height on the door as per your request.



Right Hinge (RH)
(From outside looking in)



The purchase of a PCA Products, Inc product is backed with our exclusive Lifetime Limited Warranty against defects in manufacture, design and workmanship. PCA Products, Inc, provides quality products which have been carefully inspected. If inspection shows defective material or workmanship, PCA Products will repair or replace (at our option) the product without charge. Proof of purchase may be required. This warranty is not transferable and inures only to the benefit of the original consumer purchase. This warranty does not apply to normal wear and tear. It does not cover any damages caused by carelessness, unsafe handling, alterations, accidents, misuse, or repair attempted or made by personnel other than PCA Products, Inc.

